

## PRODUCT LINE CATALOG

# Rosewill®

THE BEST CHOICE IN VALUE

### Home Video

- HDMI
- Headsets
- TV Brackets




[WWW.ROSEWILL.COM](http://WWW.ROSEWILL.COM)

© 2004-2009 Rosewill Inc. All rights reserved

# Table of Contents

## Home Video

HDMI.....	3
Headsets.....	4
TV Brackets.....	5



HDMI / Cable

FEATURES

SPECIFICATIONS



RCW-H9034

HDMI V1.3a increases the single-link bandwidth to 340MHz (10.2Gbps) and provides maximum capacity for true HDTV resolution up to 1080P and above; Greater cable bandwidth delivers lossless surround sound and stunning HD video quality today and tomorrow; HDMI V1.3a broadens color space and supports xvYCC, offering dramatically more colors than standard RGB; HDMI official Licensed HDMI cable, which passes HDMI ATC testing and supports HDMI CEC(Consumer Electronics Control); Compliant with RoHS standard

Model	RCW-H9034
Type	HDMI
Length	3.3 feet
Connectors	2
	High-Speed HDMI cable - V1.3a, Cat. 2 26AWG; OD: 8.5mm
Color	Black/Red
Specifications	2 Gold-Plated HDMI Connectors with durable metal shielding (M - M); Black PVC wrapped with Mesh



RCW-H9035

HDMI V1.3a increases the single-link bandwidth to 340MHz (10.2Gbps) and provides maximum capacity for true HDTV resolution up to 1080P and above; Greater cable bandwidth delivers lossless surround sound and stunning HD video quality today and tomorrow; HDMI V1.3a broadens color space and supports xvYCC, offering dramatically more colors than standard RGB; HDMI official Licensed HDMI cable, which passes HDMI ATC testing and supports HDMI CEC(Consumer Electronics Control); Compliant with RoHS standard

Model	RCW-H9035
Type	HDMI
Length	6 feet
Connectors	2
	High-Speed HDMI cable - V1.3a, Cat. 2 26AWG; OD: 8.5mm
Color	Black/Red
Specifications	2 Gold-Plated HDMI Connectors with durable metal shielding (M - M); Black PVC wrapped with Mesh



RCW-H9036

HDMI V1.3a increases the single-link bandwidth to 340MHz (10.2Gbps) and provides maximum capacity for true HDTV resolution up to 1080P and above; Greater cable bandwidth delivers lossless surround sound and stunning HD video quality today and tomorrow; HDMI V1.3a broadens color space and supports xvYCC, offering dramatically more colors than standard RGB; HDMI official Licensed HDMI cable, which passes HDMI ATC testing and supports HDMI CEC(Consumer Electronics Control); Compliant with RoHS standard

Model	RCW-H9036
Type	HDMI
Length	10 feet
Connectors	2
	High-Speed HDMI cable - V1.3a, Cat. 2 26AWG; OD: 8.5mm
Color	Black/Red
Specifications	2 Gold-Plated HDMI Connectors with durable metal shielding (M - M); Black PVC wrapped with Mesh

Home Video/ Switch



RME-002

Supports Digital video & audio by HDMI 1.1, 1.2 & 1.3 specification  
 Connects audio & video to HDMI compatible HDTV, LCD Monitors or Digital projectors  
 Switching: User could select anyone of the three or five HDMI inputs to the output  
 Signaling rates up to 2.25GBPS in support of UXGA and 1080P display  
 8-dB Receiver Equalization to compensate for 5 meters HDMI cable losses. Supports HDCP compliant devices  
 Discrete IR remote (included)

Model	RME-002
Type	HDMI Switch
Color	Black
Terminations	3 in 1 out
Specifications	PC: VGA/SVGA/XGA/SXGA/UXGA DTV/HDTV: 1080i/p, 720p, 480p, 576p Humidity: 5 to 90 % RH (no condensation) Dimensions: 8.86" x 1.38" x 5.12" Weight: 0.73 lbs. Power: 5V DC, 15 Watts (max.)

## Headsets

## FEATURES

## SPECIFICATIONS



RH-001

- In-line volume control
- Full-range stereo sound
- Ideal for Video Conferencing, Gaming, Music, and Movies

Model	RH-001
Frequency Response	20Hz-20KHz
Input Impedance	32 ohm
Sensitivity	102dB ± 4dB
Connector	3.5mm
Microphone	
Frequency Response	50Hz-16KHz
Microphone	
Sensitivity	-60dB±3dB



RH-40C

- In-line volume control
- Full-range stereo sound
- Superior Audio Performance
- Its comfortable headset allows long duration of use
- Ideal for Video Conferencing, Gaming, Music, and Movies

Model	RH-40C
Frequency Response	20Hz-20KHz
Input Impedance	32 ohm
Sensitivity	102dB ± 4dB
Connector	3.5mm
Ear Coupling	Circumaural
Cord Length	6 Feet.
Microphone	
Frequency Response	50Hz-16KHz
Microphone	
Sensitivity	-60dB ± 3dB



RHM-556






Special patented structure which folds the actual head-  
phone into a small foot ball saving your desk space or the  
drawers!  
Featuring 40mm Special Mylar Cone speaker generates  
amazing surround sound with bass this small headphone  
gives you the whole new sound experience!  
Ear shaped pads provides complete shielding for clearer,  
crispier sound or music to your expectations. Best of all,  
the Omnidirectional MIC is hidden right in the headphone  
housing, no more banding, twisting or turning around the  
MIC just simply hide it back to the headphone!

Model	RHM-556
Frequency Response	10Hz-25KHz
Input Impedance	50 ohm
Sensitivity	97dB ± 3dB
Connector	3.5mm
Ear Coupling	Circumaural
Cord Length	9.8 Feet.
Microphone	
Frequency Response	70Hz-20KHz
Microphone	
Sensitivity	-38dB ± 3dB

## TV Brackets

## FEATURES

## SPECIFICATIONS

 <p>RMS-A0030</p>	<p>Enables a VESA 100 Mount to accept a VESA 200 or 100x200 display</p>	<table border="1"> <tbody> <tr><td>Model</td><td>RMS-A0030</td></tr> <tr><td>Type</td><td>VESA Adapter</td></tr> <tr><td>Color</td><td>Silver</td></tr> <tr><td>Dimensions</td><td>3.3"x1.8"x9"</td></tr> <tr><td>Color</td><td>Black/Red</td></tr> <tr><td>Weight</td><td>1 lbs</td></tr> <tr><td>VESA Compatible</td><td>100 x 100 to 100 x 200 or 200 x 200</td></tr> </tbody> </table>	Model	RMS-A0030	Type	VESA Adapter	Color	Silver	Dimensions	3.3"x1.8"x9"	Color	Black/Red	Weight	1 lbs	VESA Compatible	100 x 100 to 100 x 200 or 200 x 200						
Model	RMS-A0030																					
Type	VESA Adapter																					
Color	Silver																					
Dimensions	3.3"x1.8"x9"																					
Color	Black/Red																					
Weight	1 lbs																					
VESA Compatible	100 x 100 to 100 x 200 or 200 x 200																					
 <p>RMS-MS2740</p>	<p>Tilt/Swivel LCD Monitor Wall Mount Solid aluminum alloy construction Integrated bubble level Profile: 7.2 - 16.2 cm (2.8 - 6.4") Mount Pattern: 100 x 100 mm (max)</p>	<table border="1"> <tbody> <tr><td>Model</td><td>RMS-MS2740</td></tr> <tr><td>TV Size Capacity</td><td>13" - 27"</td></tr> <tr><td>TV Weight Capacity</td><td>Max. load 40 lbs</td></tr> <tr><td>Profile Range</td><td>2.8 - 6.4"</td></tr> <tr><td>Tilt Range</td><td>+15° to -15°</td></tr> <tr><td>Swivel Range</td><td>90° left to 90° right</td></tr> <tr><td>Mounting Pattern</td><td>VESA 75, VESA 100</td></tr> <tr><td>Color</td><td>Silver</td></tr> <tr><td>Dimension</td><td>7"x7"x2.4"</td></tr> <tr><td>Weight</td><td>1.5 lbs</td></tr> </tbody> </table>	Model	RMS-MS2740	TV Size Capacity	13" - 27"	TV Weight Capacity	Max. load 40 lbs	Profile Range	2.8 - 6.4"	Tilt Range	+15° to -15°	Swivel Range	90° left to 90° right	Mounting Pattern	VESA 75, VESA 100	Color	Silver	Dimension	7"x7"x2.4"	Weight	1.5 lbs
Model	RMS-MS2740																					
TV Size Capacity	13" - 27"																					
TV Weight Capacity	Max. load 40 lbs																					
Profile Range	2.8 - 6.4"																					
Tilt Range	+15° to -15°																					
Swivel Range	90° left to 90° right																					
Mounting Pattern	VESA 75, VESA 100																					
Color	Silver																					
Dimension	7"x7"x2.4"																					
Weight	1.5 lbs																					
 <p>RMS-MT5010</p>	<p>Universal design to fit most 37" to 50" flat-panel screens Heavy-gauge steel construction with powder-coated finish Lockable design to ensure the safety of your display (lock not included) Tilts up and down for better viewing angle Integrated bubble level Cable management Quick and easy installation Hardware for wood stud or concrete installation Tilts up and down</p>	<table border="1"> <tbody> <tr><td>Model</td><td>RMS-MT5010</td></tr> <tr><td>TV Size Capacity</td><td>37" - 50"</td></tr> <tr><td>TV Weight Capacity</td><td>Max. load 132 lbs</td></tr> <tr><td>Profile Range</td><td>3.6"</td></tr> <tr><td>Tilt Range</td><td>+15° to -15°</td></tr> <tr><td>Swivel Range</td><td>n/a</td></tr> <tr><td>Mounting Pattern</td><td>675 mm x 500 mm max</td></tr> <tr><td>Color</td><td>Black</td></tr> <tr><td>Dimension</td><td>33.3"x13"x3.7"</td></tr> <tr><td>Weight</td><td>19 lbs</td></tr> </tbody> </table>	Model	RMS-MT5010	TV Size Capacity	37" - 50"	TV Weight Capacity	Max. load 132 lbs	Profile Range	3.6"	Tilt Range	+15° to -15°	Swivel Range	n/a	Mounting Pattern	675 mm x 500 mm max	Color	Black	Dimension	33.3"x13"x3.7"	Weight	19 lbs
Model	RMS-MT5010																					
TV Size Capacity	37" - 50"																					
TV Weight Capacity	Max. load 132 lbs																					
Profile Range	3.6"																					
Tilt Range	+15° to -15°																					
Swivel Range	n/a																					
Mounting Pattern	675 mm x 500 mm max																					
Color	Black																					
Dimension	33.3"x13"x3.7"																					
Weight	19 lbs																					
 <p>RMS-MT3710</p>	<p>Universal design to fit most 23" to 37" flat-panel screens Heavy-gauge steel construction with powder-coated finish Lockable design to ensure the safety of your display (lock not included) Tilts up and down for better viewing angle Integrated bubble level Cable management Quick and easy installation Hardware for wood stud or concrete installation</p>	<table border="1"> <tbody> <tr><td>Model</td><td>RMS-MT3710</td></tr> <tr><td>TV Size Capacity</td><td>23" - 37"</td></tr> <tr><td>TV Weight Capacity</td><td>Max. load 88 lbs</td></tr> <tr><td>Profile Range</td><td>3.5"</td></tr> <tr><td>Tilt Range</td><td>+15° to -15°</td></tr> <tr><td>Swivel Range</td><td>n/a</td></tr> <tr><td>Mounting Pattern</td><td>445 mm x 320 mm max</td></tr> <tr><td>Color</td><td>Black</td></tr> <tr><td>Dimension</td><td>24.3"x11.7"x3.4"</td></tr> <tr><td>Weight</td><td>13 lbs</td></tr> </tbody> </table>	Model	RMS-MT3710	TV Size Capacity	23" - 37"	TV Weight Capacity	Max. load 88 lbs	Profile Range	3.5"	Tilt Range	+15° to -15°	Swivel Range	n/a	Mounting Pattern	445 mm x 320 mm max	Color	Black	Dimension	24.3"x11.7"x3.4"	Weight	13 lbs
Model	RMS-MT3710																					
TV Size Capacity	23" - 37"																					
TV Weight Capacity	Max. load 88 lbs																					
Profile Range	3.5"																					
Tilt Range	+15° to -15°																					
Swivel Range	n/a																					
Mounting Pattern	445 mm x 320 mm max																					
Color	Black																					
Dimension	24.3"x11.7"x3.4"																					
Weight	13 lbs																					
 <p>RMS-MT2790</p>	<p>Designed to fit most 13" to 27" flat-panel screens Tilt and swivel ensure the optimum viewing angle Solid aluminum alloy construction Integrated bubble level Cable management Quick and easy installation VESA 75 and 100 compatible One-touch tilt adjustment -- no knobs to loosen Fully rotatable (landscape to portrait) Hardware for wood stud or concrete installation</p>	<table border="1"> <tbody> <tr><td>Model</td><td>RMS-MT2790</td></tr> <tr><td>TV Size Capacity</td><td>13" - 27"</td></tr> <tr><td>TV Weight Capacity</td><td>Max. load 44 lbs</td></tr> <tr><td>Profile Range</td><td>3.7"</td></tr> <tr><td>Tilt Range</td><td>+13.8° to -13.8°</td></tr> <tr><td>Swivel Range</td><td>35° left to 35° right</td></tr> <tr><td>Mounting Pattern</td><td>VESA 75, VESA 100</td></tr> <tr><td>Color</td><td>Silver</td></tr> <tr><td>Dimension</td><td>7"x5"x3.6"</td></tr> <tr><td>Weight</td><td>1.8 lbs</td></tr> </tbody> </table>	Model	RMS-MT2790	TV Size Capacity	13" - 27"	TV Weight Capacity	Max. load 44 lbs	Profile Range	3.7"	Tilt Range	+13.8° to -13.8°	Swivel Range	35° left to 35° right	Mounting Pattern	VESA 75, VESA 100	Color	Silver	Dimension	7"x5"x3.6"	Weight	1.8 lbs
Model	RMS-MT2790																					
TV Size Capacity	13" - 27"																					
TV Weight Capacity	Max. load 44 lbs																					
Profile Range	3.7"																					
Tilt Range	+13.8° to -13.8°																					
Swivel Range	35° left to 35° right																					
Mounting Pattern	VESA 75, VESA 100																					
Color	Silver																					
Dimension	7"x5"x3.6"																					
Weight	1.8 lbs																					

## TV Brackets

## FEATURES

## SPECIFICATIONS



RMS-MT2710

Designed to fit most 13" to 27" flat-panel screens  
Tilts up and down for better viewing angle  
Solid aluminum alloy construction  
Integrated bubble level  
Cable management  
Quick and easy installation  
VESA 75 and 100 compatible  
Hardware for wood stud or concrete installation

Model	RMS-MT2710
TV Size Capacity	13" - 27"
TV Weight Capacity	Max. load 44 lbs
Profile Range	2.8"
Tilt Range	+15° to -15°
Swivel Range	n/a
Mounting Pattern	VESA 75, VESA 100
Color	Silver
Dimension	7.3"x5"x2.8"
Weight	1.5 lbs



RMS-MF2720

Designed to fit most 13" to 27" flat-panel screens  
Ultra-slim design maximizes the sleek look of flat panel screens  
Solid steel construction  
Quick and easy installation  
VESA 75 and 100 compatible  
Hardware for wood stud or concrete installation  
Safety screws included  
Powder-coated finish

Model	RMS-MF2720
TV Size Capacity	13" - 27"
TV Weight Capacity	Max. load 55 lbs
Profile Range	0.6"
Tilt Range	n/a
Swivel Range	n/a
Mounting Pattern	VESA 75, VESA 100
Color	Black
Dimension	6.3"x5.2"x0.8"
Weight	1.3 lbs



RMS-MA2740

Designed to fit most 13" to 27" flat-panel screens  
Extend, retract, tilt and swivel your TV for optimum viewing angle  
Solid aluminum alloy construction  
Integrated bubble level  
Cable management  
Quick and easy installation  
VESA 75 and 100 compatible  
Hardware for wood stud or concrete installation

Model	RMS-MA2740
TV Size Capacity	13" - 27"
TV Weight Capacity	Max. load 40 lbs
Profile Range	2.8" - 9.9"
Tilt Range	+15° to -15°
Swivel Range	90° left to 90° right
Mounting Pattern	VESA 75, VESA 100
Color	Silver
Dimension	8.1"x6.9"x2.4"
Weight	2.43 lbs



RMS-A871

Easy installation and strong combination both  
Adjustable screw position for TV backside mount  
TV backside screw range: 75X75, 100X100, 200X100, 200X200mm  
TV backside screw size: M4, M5, M6  
Backward & forward tilting angle: -5° ~ 15°  
Left & right leveling angle: -10° ~ 10°  
Between TV backside and Wall distance: 68 - 464mm (2.6 - 18")  
Cable management with metal wire

Model	RMS-A871
Type	TV Wall Bracket
Loading	66lbs. (~37" TV weight without stand)
Weight	7.7 lbs



RMS-A650

Features Easy to install ( with animation user instruction)  
Fits most large flat panel plasma and LCD TVs  
Adjustable screw position for TV backside mount  
Include different size screws for your TV hole  
Solid steel construction  
Pivot upwards & downwards: 26 degrees

Model	RMS-A650
Color	Black
Dimension	790x195x320 mm
Compatibility	TV size range: 30"~70" TV backside horizontal screw range: 4~69cm(2"~27") TV backside vertical screw range: 6~50cm(2"~19") Support up to 176lbs or 80kgs (90" TV weight)

## TV Brackets

## FEATURES

## SPECIFICATIONS



RMS-A171

Adjustable screw in height range: 1510/1825/2140mm  
(59"/71.8"/84")  
Cannular pole is used to insert cable  
Pole diameter: 35mm (1.3")

Model	RMS-A171
TV Size Capacity	Up to 42"
TV Weight Capacity	Max. load 110 lbs.
Color	Black
Mount Style	Ceiling
Movable	360 degree display Swivel left & right: 20 degree Pivot downwards: 45 degree



RMS-MA5010

Full-motion LCD/Plasma TV Wall Mount  
Steel and aluminum construction  
Integrated bubble level  
Lockable for added security (lock not included)  
Profile: 5.0" - 16.0"  
Mount Pattern: 800 x 500 mm (max)

Model	RMS-MA5010
TV Size Capacity	37" - 50"
TV Weight Capacity	Max. load 132 lbs.
Color	Black
Mount Style	Wall
Movable	Tilt: 15° down Pan: 90°



RMS-MT4020

Universal Tilt LCD/Plasma TV Wall Mount  
Sturdy steel construction  
Lockable safety bar for added security (lock not included)  
Profile: 6.3 cm (2.5")  
Mount Pattern: 500 x 320 mm (max)

Model	RMS-MT4020
Name	Tilt Wall Mount
TV Size Capacity	23" - 37"
TV Weight Capacity	Max. load 88 lbs.
Color	Black
Mount Style	Wall
Movable	Tilt: 15° down



RMS-MA3210

Full-motion LCD Wall Mount  
Sturdy steel construction  
Profile: 10.8- 35 cm (4.3 - 13.8")  
Mount Pattern: 200 x 200 mm (max)  
Movable: Tilt: 15° up/down, Pan: 180°

Model	RMS-MA3210
Name	Tilt/Swivel Wall Mount
Mount Style	Wall
Color	Silver
TV Size Capacity	17" - 32"
TV Weight Capacity	Max. load 55 lbs.
Color	Silver
Cable Management	Cable Management